

# Decking system

1377\_94074, 1377\_94075, 1377\_94077, 1377\_94078,  
1377\_94079, 1377\_94081, 1377\_94082, 1377\_94083  
1377\_94088, 1377\_94090, 1377\_94091, 1377\_94092  
1377\_94095, 1377\_94096



|            |                                                                                     |                |     |     |
|------------|-------------------------------------------------------------------------------------|----------------|-----|-----|
| 1377_94074 |                                                                                     |                |     |     |
| Q1         |    | 138x23x2400 mm | X 3 | 1/1 |
| 1377_94075 |                                                                                     |                |     |     |
| Q2         |    | 138x23x2400 mm | X 3 | 1/1 |
| 1377_94077 |                                                                                     |                |     |     |
| R1         |    | 146x23x2400 mm | X 3 | 1/1 |
| 1377_94078 |                                                                                     |                |     |     |
| R2         |    | 146x23x2400 mm | X 3 | 1/1 |
| 1377_94079 |                                                                                     |                |     |     |
| R3         |   | 146x23x2400 mm | X 3 | 1/1 |
| 1377_94081 |                                                                                     |                |     |     |
| S1         |  | 140x25x2400 mm | X 3 | 1/1 |
| 1377_94082 |                                                                                     |                |     |     |
| S2         |  | 140x25x2400 mm | X 3 | 1/1 |
| 1377_94083 |                                                                                     |                |     |     |
| S3         |  | 140x25x2400 mm | X 3 | 1/1 |
| 1377_94088 |                                                                                     |                |     |     |
| T          |  | 50x30x2400 mm  | X 2 | 1/1 |
| 1377_94090 |                                                                                     |                |     |     |
| U1         |  | 55x15x2400 mm  | X 2 | 1/1 |

|            |                                                                                   |               |     |     |
|------------|-----------------------------------------------------------------------------------|---------------|-----|-----|
| 1377_94091 |                                                                                   |               |     |     |
| U2         |  | 55x15x2400 mm | X 2 | 1/1 |
| 1377_94092 |                                                                                   |               |     |     |
| U3         |  | 55x15x2400 mm | X 2 | 1/1 |

|            |                                                                                     |        |       |     |
|------------|-------------------------------------------------------------------------------------|--------|-------|-----|
| 1377_94095 |                                                                                     |        |       |     |
| V1         |    | 8 mm   | X 12  | 1/1 |
| W1         |    | 8 mm   | X 110 | 1/1 |
| X          |    | 25mm   | X 122 | 1/1 |
| Y          |  | 82mm   | X 40  | 1/1 |
| 1377_94096 |                                                                                     |        |       |     |
| V2         |  | 9 mm   | X 12  | 1/1 |
| W2         |  | 8.9 mm | X 110 | 1/1 |
| X          |  | 25 mm  | X 122 | 1/1 |
| Y          |  | 82 mm  | X 40  | 1/1 |

FR : SAV/INFORMATION /CONTACT  
 EN : AFTER-SALES SERVICE/INFORMATION/CONTACT  
 DE : REPARATUR-SERVICE UND ERSATZTEILE //INFORMATIONEN /KONTAKT  
 ES : SERVICIO POST-VENTA/INFORMACIÓN/CONTACTO  
 IT : SERVIZIO ASSISTENZA/INFORMAZIONI/CONTATTO  
 PT : SERVIÇO PÓS-VENDA/INFORMAÇÕES/CONTATO  
 PL: SERWIS TECHNICZNY/INFORMACJE/KONTAKT  
 NE: AFTER SALES SERVICE/INFORMATIE/CONTACT  
 HE: עם לתקשר/הווידאו/ומכירות שירות לאחר

**SAV.HABITATETJARDIN.COM**



## FR


- Instructions :
- Les lambourdes disposées en dessous des lames de terrasses doivent être espacées de 35cm maximum. A la réception des lames, nous recommandons de les laisser reposer quelques jours pour qu'elles puissent s'adapter à la température de votre environnement avant de procéder à leur installation.
- 
- Utilisation
- 1- L'utilisation de chlorure de sodium ou de sel pour faire fondre la neige ou la glace de la surface
- 2- Nettoyez les taches d'huile, de sauces et de nourriture avec des brosses et tissus.
- 3- Ne pas disposer les lames de terrasse près d'une source de chaleur pour éviter de les endommager.
- 
- Lavage
- 1- N'utilisez pas de pelle en métal sur les lames pour retirer la neige de la surface
- 2- Il est recommandé de porter des chaussures lors du nettoyage et entretien des lames

## EN

- The warning instructions:
- The supporting joist below decking boards should be a maximum of 350mm apart. when received your wpc boards, we recommend you allow them several days to adjust to your local temperature and conditions before starting installation work.
- Utilisation warning
- 1. The use of sodium chloride or salt to melt the floor surface of snow and ice
- 2. Clean up oil, soy sauce and food with cleaners and brushes
- 3. Be careful not to get the board to be damaged by the heat source
- Clean warning
- 1. Do not use metal shovel in the wpc board to clear the snow and sundries up
- 2. It is recommended to wear shoes when cleaning and maintaining

- The assembly instructions

- ① Put the 'T' wpc joist on the ground, use 'Y' expansion screw to fix joist into ground



- ② 'V' use for first board

And W as clip connect boards one by one. Use screw to fasten the clip into joist



- ③ install the boards one by one

